Safety Data Sheet

FORMULA 534 WONDER PLUS PRESOAK

UNCONTROLLED DOCUMENT Version 1.0010

Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date 03/06/2015

ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites. Print Date 05/09/2016



Section 1. Chemical product and company identification

Product Name: FORMULA 534 WONDER PLUS PRESOAK

Product use: Car wash

Contact Information: Warsaw Chemical Co., Inc. Emergency Phone:

P.O. Box 858

Warsaw, IN 46581 Tel: 1.800.548.3396 Fax: 1.574.267.3884 one: INFOTRAC

800.535.5053 USA & Canada 352.323.3500 International

Section 2. Hazards identification

GHS Classification:

Skin corrosion/irritation(Category 2) Serious eye damage/eye irritation(Category 2A) Acute toxicity, oral(Category 4)

Pictogram(s):



Signal Word: WARNING

Hazard Statements:

H315 Causes skin irritation H319 Causes serious eye irritation

H302 Harmful if swallowed

Precautionary Statement(s):

P264 Wash ... thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P362 Take off contaminated clothing and wash before reuse

P270 Do not eat, drink or smoke when using this product

P501 Dispose of contents/container in accordance with federal, state and/or local regulations

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P302+352 IF ON SKIN: Wash with soap and water

P332+313 If skin irritation occurs: Get medical advice/attention

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

P337+313 If eye irritation persists get medical advice/attention

Safety Data Sheet

FORMULA 534 WONDER PLUS PRESOAK

UNCONTROLLED DOCUMENT

Version Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date

03/06/2015 05/09/2016

1.0010



Section 3. Composition/information on ingredients

<u>Name</u>	CAS number	<pre>% Less Than</pre>
Sodium Metasilicate	6834-92-0	3.0000
Surfactant	68130-47-2	1.0000
Sodium Nitrilotriacetate	18662-53-8	5.0000
2-Butoxyethanol	111-76-2	2.0000

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

Section 4. First aid measures

Check for and remove contact lenses. Immediately flush eyes with plenty of Eye contact:

water for at least 15 minutes, occasionally lifting the upper and lower

eyelids. Get medical attention immediately.

Skin contact: Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes

thoroughly before reuse. Get medical attention if irritation develops.

Move exposed person to fresh air. If breathing is irregular or if Inhalation:

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so Ingestion:

by medical personnel. Never give anything by mouth to an unconscious

person. Get medical attention immediately.

General: Physicians: No specific treatment. Treat symptomatically. Contact poison

treatment specialist if large quantities have been inhaled or ingested.

FORMULA 534 WONDER PLUS PRESOAK

UNCONTROLLED DOCUMENT

Version Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date Print Date

03/06/2015 05/09/2016

1.0010



Fire-fighting measures Section 5.

Flammability: In a fire or if heated, a pressure increase will occur and the container

may burst.

Use an extinguishing agent suitable for the surrounding fire. Extinguishing Media:

Protective Equipment: Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with full face-piece operated in

positve pressure mode.

Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/ Additional Information:

oxides, halogenated compounds.

Accidental release measures Section 6.

No action should be taken involving individual risk or without suitable Personal Precautions:

training. Isolate area. Avoid contact with material. Do not breath vapors. Provide adequate ventilation. Wear proper personal protective equipment.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform relevant authorities if the product

reaches sewers, waterways or soil.

Containment/Cleanup: Stop leak if without risk. Move containers from spill area. Contain or

> absorb with inert dry material. Dispose of according to local regulations. See Section 1 for emergency contact information and 13 for waste disposal.

7. Handling and storage Section

Environmental:

Safe Handling: Wear appropriate personal protective equipment (see Section 8). Eating

drinking and smoking should be prohibited. Do not get into eyes or on skin

Do not ingest. Keep containers tightly closed. Do not reuse container.

Safe Storage: Store in accordance with local regulations. Store in original container

away from foods, drink and incompatible materials. Keep container tightly

closed. Do not store unlabeled. Use appropriate containment.

Safety Data Sheet

FORMULA 534 WONDER PLUS PRESOAK

UNCONTROLLED DOCUMENT

Version

Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 03/06/2015 Print Date 05/09/2016



Exposure controls/personal protection Section 8.

Apply technical measures to comply with occupational exposure limits. Engineering Controls:

Mechanical ventilation, eyewash stations, showers where necessary.

Eye Protection: Safety eyewear/face shield complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid exposure

to liquid splashes, mists or dusts.

Respiratory Protection: Use a properly fitted air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.

Hand Protection: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Skin Protection: Personal protective equipment for the body should be selected based on the

task being performed and the risks involved and should be approved by a

specialist before handling this product.

COMPONENT	ACGIH TWA ppm	OSHA/NIOSH STEL ppm	OSHA/ACGHI STEL mg/m3
Sodium Metasilicate Surfactant	N/A	N/A	1
Sodium Nitrilotriacetate 2-Butoxyethanol	N/A 20	N/A	

Physical and chemical properties Section 9.

Physical State: Liquid Color: Blue

Odor: Sassafras

Odor Threshold: N/E :Hq >12 Melting Point: N/EFreezing Point: N/E Boiling Point: N/E

Flash Point: Nonflammable

Evaporation Rate: N/E

Flammability: Nonflammable

Upper Explosive Limits: N/A Lower Explosive Limits: N/A Vapor Pressure: N/E N/E Vapor Density: Relative Density: N/E Solubility: Soluble Partition coefficient: N/E Auto-Ignition Temperature: N/E Decompostion Temperature: N/E Specific Gravity: 1.02 % Volatile: N/E

FORMULA 534 WONDER PLUS PRESOAK

Print Date

1.0010 03/06/2015 05/09/2016 ORDERS: 800-548-3396 • PHONE: 574-267-3251 • FAX: 574-267-3884 www.warsaw-chem.com

UNCONTROLLED DOCUMENT

Version Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date

Stability and reactivity Section 10.

Non reactive Reactivity:

Chemical stability: Stable under normal conditions.

Possibility of

None known

hazardous reactions: Conditions to avoid:

Excessive heat or open flame.

Incompatible materials:

Avoid contact with acidic materials and strong oxidizers.

Hazardous Decomposition

Products:

Under normal conditions, none are known

Toxicological information Section 11.

Routes of entry: Inhalation Absorption Ingestion Acute Exposure Hazards: Irritation, stinging, redness, burns. Eye contact: Dermal: Irritation, burns upon prolonged exposure. Oral: Nausea, vomiting. Not expected route of entry. Irritation Inhalation:

COMPONENT	Result	Species	Dose	Exposure
Sodium Metasilicate	LD50 ORAL	Rat-Male and female	1,152-1,349 MG/KG	pobulo
	LC50	Danio rerio (Zebra fish)	210 MG/L	96 hours
Surfactant	LD50 ORAL	Rat	3.95 mg/kg	
	LC50	Rainbow trout	5.5 mg/kg	96 hours
2-Butoxyethanol	LD50 ORAL	Rat	470 mg/kg	

FORMULA 534 WONDER PLUS PRESOAK

Version

1.0010 UNCONTROLLED DOCUMENT Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date 03/06/2015 05/09/2016



Section 12. Ecological information

No data available. Ecotoxicity: Persistance & degradability: No data available. Bioaccumulative potential: No data available. Mobility in soil: No data available.

Other adverse effects: No data available.

Component Result Species Dose Exposure EC50 Daphnia 1818 mg/L 24 hours 2-Butoxyethanol

Section 13. Disposal considerations

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

Transport information Section 14.

DOT (US)

UN Number: N/A

Shipping Name: Technical Name: Hazard Class:

Packaging Group: N/A

Regulatory information Section 15.

SARA 313 Components 2-Butoxyethanol

CAS No. 111-76-2 % Less Than 2.0000

California Prop. 65 Components Sodium Nitrilotriacetate

CAS No. 18662-53-8 % Less Than 5.0000

Pg 6/7

Version

03/06/2015 05/09/2016

1.0010

ORDERS: 800-548-3396 • PHONE: 574-267-3251 • FAX: 574-267-3884

UNCONTROLLED DOCUMENT Warsaw Chemical Co., Inc. posts our Safety Data Sheets (SDS) to our company website Revision Date ONLY. Warsaw Chemical is NOT responsible for any SDS found on other sites.

Print Date

Section 16. Other information

Hazardous Material Information System (U.S.A.)


Health Hazard	2
Fire Hazard	0
Reactivity	0
Personal Protection	C

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

PERSONAL PROTECTION INDEX

A	Safety Glasses
В	Safety Glasses, Gloves
С	Safety Glasses, Gloves, Apron
D	Face Shield, Gloves, Apron
E	Safety Glasses, Gloves, Dust Respirator
F	Safety Glasses, Gloves, Apron, Dust Respirator
G	Safety Glasses, Gloves, Vapor Respirator
H	Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
I	Safety Glasses, Gloves, Dust & Vapor Respirator
J	Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
K	Airline Hood or Mask, Gloves, Full Suit, Boots
X	Consult your supervisor for special handling directions

National Fire Protection Association (U.S.A.)



Instability/Reactivity

Special

NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.