# SAFETY DATA SHEET

### 1. Identification

Product number Product identifier Company information	100000015 <b>PROLINK ORCHARD FRESH-YA001</b> PRO-LINK 500 CHAPMAN STREET CANTON, MA 02021 United States
Emergency telephone US	1-866-836-8855
Emergency telephone outside US	1-952-852-4646
Version #	01
Recommended use	Air freshener
Recommended restrictions	None known.

### 2. Hazard(s) identification

Physical hazards	Flammable aerosols
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.

Label elements



	▼	
Signal word	Danger	
Hazard statement	Extremely flammable aerosol.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.	
Response	If exposed or concerned: Get medical advice/attention.	
Storage	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.	
Disposal	Not available.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	None.	

Category 1

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Butane		106-97-8	2.5 - 10
Ethyl Alcohol		64-17-5	2.5 - 10
Propane		74-98-6	2.5 - 10
Other components below reportable	levels		80 - 90

#: This substance has workplace exposure limit(s).

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

### Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.	
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.	
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
Fire-fighting	Move containers from fire area if you can do so without risk. Containers should be cooled with	

equipment/instructionswater to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose<br/>holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials. Move

c methods Use standard firefighting procedures and consider the hazards of other involved materials. Nove containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards Extremely flammable aerosol.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe an open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.	
	Never return spills in original containers for re-use.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not re-use empty containers. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.	

Level 1 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Level 1 Aerosol (NFPA 30B)

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Ethyl Alcohol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm
Propane (CAS 74-98-6)	PEL	1800 mg/m3
		1000 ppm
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
Butane (CAS 106-97-8)	STEL	1000 ppm
Ethyl Alcohol (CAS 64-17-5)	STEL	1000 ppm
US. NIOSH: Pocket Guide to	Chemical Hazards	
Components	Туре	Value
Butane (CAS 106-97-8)	TWA	1900 mg/m3
		800 ppm
Ethyl Alcohol (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
Propane (CAS 74-98-6)	TWA	1800 mg/m3
		1000 ppm
ological limit values	No biological exposure limits noted for the ingredient(s).	
propriate engineering ntrols	Explosion-proof general and local exh	naust ventilation.
-	such as personal protective equipm	
Eye/face protection	Wear safety glasses with side shields	(or goggles).
Hand protection	Wear appropriate chemical resistant gloves.	
Skin protection		
Other	Wear suitable protective clothing.	
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
neral hygiene nsiderations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	
Physical and chemical	properties	

Appearance	
Physical state	Gas.
Form	Aerosol.
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
рН	10 - 11 estimated
Melting point/freezing point	Not available.
Initial boiling point and boiling range	177.33 °F (80.74 °C) estimated
Flash point	-156.0 °F (-104.4 °C) Propellant estimated

Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	65 - 85 psig @70F estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Specific gravity	0.877 estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity	Expected to be a low hazard for usual industrial or commercial handling by trained personnel.	
Product	Species Test Results	
PROLINK ORCHARD FRESH	-YA001 (CAS Mixture)	
Acute		
Inhalation		
LC50	Rat	1122 mg/l/4h

Components	Species	Test Results	
Butane (CAS 106-97-8)			
Acute			
Inhalation	Maura	1007 mg/ 100 Minutes	
LC50	Mouse	1237 mg/l, 120 Minutes	
		52 %, 120 Minutes	
	Rat	1355 mg/l	
Ethyl Alcohol (CAS 64-17-5)			
Acute Inhalation			
LC50	Cat	85.41 mg/l, 4.5 Hours	
2000	out	43.68 mg/l, 6 Hours	
	Mouse	-	
	Mouse	> 60000 ppm	
	- /	79.43 mg/l, 134 Minutes	
	Rat	> 115.9 mg/l, 4 Hours	
		51.3 mg/l, 6 Hours	
Oral			
LD50	Monkey	6000 mg/kg	
	Mouse	10500 ml/kg	
	Rat	1187 - 2769 mg/kg	
		7800 ml/kg	
Propane (CAS 74-98-6)			
Acute			
Inhalation			
LC50	Mouse	1237 mg/l, 120 Minutes	
		52 %, 120 Minutes	
	Rat	1355 mg/l	
		658 mg/l/4h	
* Estimates for product may b	e based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritat	tion.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irrita	ation.	
Respiratory or skin sensitization	n		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitize	ation.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen b	by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regulate Not listed.	ed Substances (29 CFR 1910.1001-1050)		
Reproductive toxicity	This product is not expected to cause reproductive	or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
12. Ecological information	n		
Ecotoxicity	Harmful to aquatic life with long lasting effects.		

Product	Species		Test Results
PROLINK ORCHARD FRES	SH-YA001 (C	AS Mixture)	
Aquatic			
Algae	IC50	Algae	7051 mg/L, 72 Hours
Crustacea	EC50	Daphnia	52804 mg/L, 48 Hours
Fish	LC50	Fish	2716 mg/L, 96 Hours
Components		Species	Test Results
Ethyl Alcohol (CAS 64-17-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7700 - 11200 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas	s) > 100.1 mg/l, 96 hours
* Estimates for product may	be based on	additional component data not shown.	
sistence and degradability	No data is	s available on the degradability of this product	t.
accumulative potential	No data available.		
Partition coefficient n-octa	nol / water (	log Kow)	
Butane		2.89	
Ethyl Alcohol	-0.31		
Propane	2.36		
bility in soil	No data available.		
er adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
. Disposal consideratio	ons		
n a a a l'in a tru a ti a na	Callecter	d realizione ar dianago in geolod containero at l	isonaad wasta dianaaal sita. Cantanta

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

# 14. Transport information

DOT	
UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
Until 12/31/2020, the "Consume	on requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. er Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20

y. and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

### ΙΑΤΑ

UN number	UN1950
UN proper shipping name	Aerosols, flammable

Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	No.
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed.
aircraft	
Cargo aircraft only	Allowed.
Packaging Exceptions	LTD QTY
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging Exceptions	LTD QTY
Transport in bulk according to	Not applicable.
Annex II of MARPOL 73/78 and	
the IBC Code	
<b>DOT</b>	







# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency	release notificati	on			
Not regulated.					
OSHA Specifically Re	gulated Substance	es (29 CFR 1910	0.1001-1050)		
Not listed.					
uperfund Amendments a		•	SARA)		
Hazard categories	Delayed H Fire Hazar Pressure H				
SARA 302 Extremely	-				
Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Anhydrous Ammonia	7664-41-7	100	500 lbs		
SARA 311/312 Hazard chemical	ous No				
SARA 313 (TRI reporti Not regulated.	ng)				
ther federal regulations					
Clean Air Act (CAA) S	ection 112 Hazard	ous Air Polluta	nts (HAPs) List		
Not regulated. Clean Air Act (CAA) S	ection 112(r) Acci	dental Release	Prevention (40 CFR 6	8.130)	
Butane (CAS 106-9	97-8)		·		
Propane (CAS 74-9	98-6)				
Safe Drinking Water A (SDWA)	<b>ct</b> Not regulat	ed.			
S state regulations					
US. Massachusetts R		st			
Butane (CAS 106-S Ethyl Alcohol (CAS Propane (CAS 74-S	964-17-5) 98-6)				
US. New Jersey Work Butane (CAS 106-9	-	Right-to-Know	ACT		
Ethyl Alcohol (CAS Propane (CAS 74-5	64-17-5)				
US. Pennsylvania Wo		ity Right-to-Kno	ow Law		
Butane (CAS 106-5 Ethyl Alcohol (CAS Propane (CAS 74-5	64-17-5) 98-6)				
US. Rhode Island RTK					
Butane (CAS 106-9 Propane (CAS 74-9	/				
US. California Propos California Safe Drir any chemicals curr	nking Water and To			on 65): This material is	not known to contain
iternational Inventories					
Country(s) or region	Inventory	name			On inventory (yes/no)*
Australia			mical Substances (AIC	S)	Yes
Canada		Substances List			Yes
Canada		stic Substances	. ,		No
China	Inventory of	f Existing Chem	ical Substances in Chir	na (IECSC)	Yes
Europe	European	-	ting Commercial Chem		No
Europe	European	_ist of Notified C	hemical Substances (E	LINCS)	No
Japan	Inventory of	f Existing and N	ew Chemical Substanc	ces (ENCS)	Yes
Korea	Existing Cl	nemicals List (EC			No

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Ye \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	05-16-2015
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Product and Company Identification: Alternate Trade Names Regulatory Information: United States