Safety Data Sheet **GHS-Compliant**

May be used to comply with



REAGENT CHEMICAL & RESEARCH, INC. 115 US Hwy 202 Ringoes, NJ 08551

OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements. PRODUCT IDENTITY

Hydrochloric Acid, 20° or 22° Baume	Safety Data Sheet Revision Date - June 1, 2015
Section 1 - Identification	
Product Name	CAS#
Hydrochloric Acid	7647-01-0
Synonym	Chemical Formula
Muriatic Acid	HCl
Chemical Name	Chemical Family
Hydrochloric Acid Solution	Inorganic Acid
Product Use	
Acidification, pH Adjustment	A SECTION OF THE PROPERTY OF T
Manufacturer/Supplier Name	Address
Reagent Chemical & Research, Inc.	115 US Hwy 202 Ringoes, NJ 08551
General Information	Country
1-908-284-2800	United States
Emergency Telephone	Transportation Emergency Number
1-409-899-3400	CHEMTREC 1-800-424-9300

Section 2 - Hazards Identification

Acute Toxicity, Oral - Hazard Category 1	Corrosive to Metals - Hazard Category 1
Serious Eye Damage - Hazard Category 1	
Skin Corrosion - Hazard Category 1	
Sensitisation, Respiratory - Hazard Category	1
Acute Toxicity, Inhalation - Hazard Category	1



SYMBOLS: corrosion, health hazard, aspiration toxicity





Signal Word: DANGER

GHS Label: Hazard Statements		Precautio	nary Statement	3	
Causes severe skin burns & e	ye damage	Do not br	eathe mist/var	ors	***
Fatal if swallowed (oral)		Avoid ski	n contact		
Fatal if inhaled (mist, vapo	r)	Keep cont	ainer tightly	closed	
May cause allergic or asthma	tic symptoms	Wear resp	oiratory protec	ction, protec	tive glove
or breathing difficulties	if inhaled	and eye	e/face protect	lon	
May be fatal if swallowed 5	enters airwa	y Use only	in a well-vent	ilated area	
Causes serious eye damage		Store cor	itainer tightly	y closed in o	cool/well
May be corrosive to metals		ventila	ated area		
		Wash tho	coughly after	mandling	
Section 3 - Composition / Information	on on Ingredien			CAS#	
Component Description Hydrogen Chloride		Percent 26.00 - 3	37.00	7647-0	01-0
Aydrogen Chioriac				7732-	18-5
Water EXPOSURE LIMITS/REGULATORY I	NEODMATTON	63.00 - 1	/4.00	,,,,,	
EXPOSURE LIMITS/REGULATORY 1 Substance	PEL	TLV	STEL	AWT	CEILING
Hydrogen Chloride	C-7 mg/m3	C-2 ppm	50 ppm	N/D	5 ppm
Water	N/D	N/D	N/D	N/D	N/D
N/D - Not Determined	C = C	eiling Level			
Section 4 - First Aid Measures					
General If a known exposure occurs o	r is suspect	ed, immediat	ely initiate t	he recommend	ed
procedures below. Simultane					
Center. Inform the person of					
victim's symptoms and follow					II day or
night, Reagent Chemical (409 Inhalallon Remove from contaminated atm					im's
airway and start mouth-to-mo					
by the use of a bag-mask res					
of delivering 1 liter/second					
administered from a demand-					
- total appeared from a domand-l	type or conti	FUGGRATTOM T	migranori bres	CLUVAS HAVI	
		immediately			

Section 4 - First Aid Measures (continued) Eye Contact Immediately flush the eyes with large quantities of running water for 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. DO NOT attempt to neutralize with chemical agents. Obtain medical attention as soon as possible. Oils or ointments should not be used. Continue the flushing for an additional 15 minutes if the physician is not available. Skin Contact Immediately remove contaminated clothing under a safety shower. Flush all affected areas with large amounts of water for 15 minutes. BO NOT attempt to neutralize with chemical agents. Obtain medical advice. Ingestion DO NOT induce vomiting. Immediately give large quantities of water or milk, if available. If vomiting does occur, give fluids again. Never give anything by mouth to an unconscious person. Call a physician or the nearest Poison Control Center. Medical Conditions Generally Aggravated by Exposure Hydrogen Chloride will aggravate breathing disorders Note to Physician Attending Physician should treat exposed patients symptomatically Section 5 - Fire Fighting Measures Extinguishing Method Not Applicable, use water to dilute spills and to flush them away from ignition sources. Unusual Fire and Explosion Hazards Non-flammable, but Hydrochloric Acid reacts with metals. Special Firefighting Procedures Non-flammable, but Hydrochloric Acid reacts with all metals, except gold and platinum, with rapid evolution of Hydrogen which is flammable and explosive in air. Firefighters exposed to Hydrochloric Acid vapors should wear Scott Air-Pak, or equivalent. Hydrogen Chloride vapors are extremely irritating to the respiratory tract and may cause breathing difficulty. Section 6 - Accidental Release Measures Steps to be Taken in Case Material is Released or Spilled Spills or discharges into the environment involving large quantities of Hydrochloric Acid should be controlled and cleaned-up according to a pre-determined, affirmative written Spill Prevention and Control Program. For assistance in developing a SPCP contact your nearest Reagent Sales Office. Refer to Section 15 for spill/release reporting information. Spills should be handled immediately by neutralization and dilution of the spilled product by the use of Soda Ash (Sodium Carbonate), Lime (Calcium Hydroxide), or Limestone (Calcium Carbonate) with large amounts of water. For an interior (inside a closed space) spill be aware that the use of Soda Ash, Lime and Limestone will evolve heat and carbon dioxide and that ample ventilation must be provided.

/aste Disposal Inder Federal RCRA, it is th	a reenancibil	iry of the u	ser of product	s to determi	ne,
t the time of disposal, whe					\$6 5 .
his is because product uses	, transformat	ions, mixture	es, ecc. may r	ender the	/ 10
esulting end-product hazard	ous.				
ontainer Disposal ontainers should be cleaned	of residual	product befo	re disposal.	Empty contai	ners
hould be disposed of in acc	ordance with	all applicab	le laws and re	egulations.	
ection 7 - Handling and Storage					
andling Themical goggles and full fa	ce shield mus	t be worn at	all times by	personnel	
xposed to or handling Hydro					<u>(e</u>
espirator or a Scott Air-Pa					and the state of t
lorage tore containers in a cool,					·
intense heat, or where freez					ner.
Geep container tightly close					
aterials. All loading, unl					
ny transfer operations are					
and Elausidi Ondigrious die					
				11 +:	······
General Comments Impervious clothing, gloves,	footwear and			t all times	
General Comments Impervious clothing, gloves, Dy personnel exposed to or h Precautions to be Taken in Handling and Stora Make sure all personnel invo	footwear and mandling Hydro nge olved in house	chloric Acid	spill clean-u	p follow good	1
General Comments Impervious clothing, gloves, Dy personnel exposed to or h Precautions to be Taken in Handling and Stora Make sure all personnel invo	footwear and nandling Hydro nge Dlved in house a and wear pro	chloric Acid keeping and oper protecti	spill clean-u	p follow good	
General Comments Impervious clothing, gloves, Dy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involutions Industrial Hygiene practices Section 8 - Exposure Controls / Per	footwear and nandling Hydro nge Dlved in house a and wear pro	chloric Acid keeping and oper protecti	spill clean-u	p follow good	3
General Comments Impervious clothing, gloves, Dy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involutional Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS	footwear and nandling Hydro nge Dlved in house a and wear pro	chloric Acid keeping and oper protecti	spill clean-u	p follow good	i CEILING
General Comments Impervious clothing, gloves, Typersonnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involutions Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance	footwear and mandling Hydro nge olved in house a and wear pro rsonal Protection	chloric Acid ekeeping and oper protecti	spill clean-u ve equipment.	p fallow good	
General Comments Impervious clothing, gloves, Dy personnel exposed to or he Precaulions to be Taken in Handling and Slora Make sure all personnel invo Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride	footwear and mandling Hydro nge blved in house a and wear pro rsonal Protection PEL C-7 mg/m3	chloric Acid keeping and oper protecti TLV 0-5 ppm	spill clean-u ve equipment. stel 50 ppm	p follow good	CEILING
General Comments Impervious clothing, gloves, Toy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involved Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water	footwear and mandling Hydro nandling	chloric Acid ekeeping and oper protecti	spill clean-u ve equipment. ster 50 ppm	p follow good THA N/D	CEILING 5 ppm
General Comments Impervious clothing, gloves, Dy personnel exposed to or he Precaulions to be Taken in Handling and Slora Make sure all personnel involution Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available	footwear and nandling Hydro nge olved in house a and wear pro rsonal Protection PEL C-7 mg/m3 N/D e C -4	chloric Acid keeping and oper protecti TLV C-5 ppm N/D - Ceiling Lev	spill clean-u ve equipment. STEL 50 ppm N/D	THA N/D	CEILING 5 ppm N/D
General Comments Impervious clothing, gloves, Impervious clothing, gloves, Dy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involved Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available Respiratory Protection Maintain airborne contaminates	footwear and mandling Hydro nandling	chloric Acid keeping and oper protecti TLV C-5 ppm N/D Ceiling Lev	spill clean-u ve equipment. STEL 50 ppm N/D rel delines. Use	TWA N/D N/D with adequar	CEILING 5 ppm N/D
General Comments Impervious clothing, gloves, Dy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involved Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available Respiratory Protection Maintain airborne contaminates	footwear and mandling Hydro nandling	chloric Acid keeping and oper protecti TLV C-5 ppm N/D Ceiling Lev	spill clean-u ve equipment. STEL 50 ppm N/D rel delines. Use	TWA N/D N/D with adequar	CEILING 5 ppm N/D
General Comments Impervious clothing, gloves, Impervious to be Taken in Handling and Slora Make sure all personnel invo Industrial Hygiene practices Industrial Hygiene practices Impervious Controls / Per EXPOSURE LIMITS Impervious Controls Impervious Clothing, gloves, Impervious Controls Impervious Clothing, gloves, Impervious Controls Impervious Clothing, gloves, Impervious Cloth	footwear and mandling Hydroge Dived in house and wear programal Protection PEL C-7 mg/ml N/D C -1 te levels belocal fan or ver	TLV C-5 ppm N/D Ceiling Lev Ow listed guint area to so	spill clean-upve equipment. STEL 50 ppm N/D rel delines. Use	TWA N/D N/D with adequar	CEILING 5 ppm N/D
General Comments Impervious clothing, gloves, Impervious to be Taken in Handling and Slora Make sure all personnel invo Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available Respiratory Protection Maintain airborne contaminativentilation. Use a mechanic respiratory protection if ex- Ventilation Local Exhaust	footwear and mandling Hydroge Dived in house and wear programal Protection PEL C-7 mg/ml N/D C -1 te levels belocal fan or ver	TLV C-5 ppm N/D Ceiling Lev ow listed guint area to so	spill clean-upve equipment. stel 50 ppm N/D rel delines. Use	TWA N/D N/D with adequat	CEILING 5 ppm N/D te
Seneral Comments Impervious clothing, gloves,	footwear and mandling Hydroge Dived in house and wear programal Protection PEL C-7 mg/ml N/D C -1 te levels belocal fan or ver	TLV C-5 ppm N/D Ceiling Lev ow listed guint area to so s are exceeds Special Vent fumo	spill clean-upve equipment. STEL 50 ppm N/D rel delines. Use	TWA N/D N/D with adequat	CEILING 5 ppm N/D te
Seneral Comments Impervious clothing, gloves, Impervious to be Taken in Handling and Slora Idake sure all personnel involved Industrial Hygiene practices Industrial Hygiene practices Impervious Im	footwear and mandling Hydroge Dived in house and wear programal Protection PEL C-7 mg/ml N/D C -1 te levels belocal fan or ver	TLV C-5 ppm N/D Ceiling Lev ow listed guint area to so	spill clean-upve equipment. STEL 50 ppm N/D rel delines. Use crubber. Use ed.	TWA N/D N/D with adequate NIOSH approver	CEILING 5 ppm N/D te
Seneral Comments Impervious clothing, gloves, Impervious to be Taken in Handling and Slora Idake sure all personnel involved Industrial Hygiene practices Imperved Controls / Per EXPOSURE LIMITS Imperved Controls / Per EXPOSURE LIMITS Imperved Controls / Per Exposure Co	footwear and mandling Hydroge Dived in house and wear programal Protection PEL C-7 mg/m3 N/D e C = C = C = C = C = C = C = C = C = C	TLV C-5 ppm N/D Ceiling Lev ow listed guid area to so s are exceeded Special Vent fume Not Appli	spill clean-upve equipment. STEL 50 ppm N/D vel delines. Use crubber. Use crubber. Use crubber. use crubber. Use	TWA N/D N/D with adequate NIOSH approve	CEILING 5 ppm N/D te
General Comments Impervious clothing, gloves, Impervious clothing, gloves, Dy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involved Industrial Hygiene practices Bection 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available Respiratory Protection Maintain airborne contaminativentiation. Use a mechanical Ventilation Local Exhaust If PEL exceeded Mechanical (General) If PEL exceeded Skin Protection Wear neoprene rubber gloves	footwear and mandling Hydro age olived in house and wear programmer of the football of the football of the levels below to minimize to minimize	TLV C-5 ppm N/D Ceiling Lev ow listed guint area to so s are exceeds Vent fume Other Not Appli	spill clean-upve equipment. stel 50 ppm N/D rel delines. Use crubber. Use ed. es to appropri cable Additional	TWA N/D N/D with adequal NIOSH approve ate scrubber protection m	CEILING 5 ppm N/D te ed
General Comments Impervious clothing, gloves, Dy personnel exposed to or he Precautions to be Taken in Handling and Stora Make sure all personnel involved Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available Respiratory Protection Maintain airborne contaminativentilation. Use a mechanical ventilation Local Exhaust If PEL exceeded Mechanical (General) If PEL exceeded Skin Protection Wear neoprene rubber gloves necessary to prevent skin c	footwear and mandling Hydro age olived in house and wear programmer of the levels below to minimize to minimize ontact included	TLV C-5 ppm N/D Ceiling Lev ow listed guint area to so s are exceede Special Vent fume Other Not Appli skin contact	spill clean-upve equipment. stel 50 ppm N/D rel delines. Use stubber. Use delines. Use delines. Use delines. Use delines. Use delines. Use	TWA N/D N/D with adequate NIOSH approver ate scrubber protection meald, boots of	ceiling 5 ppm N/D te ed
General Comments Impervious clothing, gloves, by personnel exposed to or herecautions to be Taken in Handling and Stora Make sure all personnel involved Industrial Hygiene practices Section 8 - Exposure Controls / Per EXPOSURE LIMITS Substance Hydrogen Chloride Water N/D - No Data Available Respiratory Protection Maintain airborne contaminal ventilation. Use a mechanic respiratory protection if ex Ventilation Local Exhaust If PEL exceeded Mechanical (General)	footwear and mandling Hydroge plved in house and wear programal Protection PEL C-7 mg/ml N/D e C - te levels belocal fan or ver exposure limits to minimize ontact include shower should	TLV C-5 ppm N/D Ceiling Lev ow listed guid area to so s are exceeded Special Vent fume Other Not Appli skin contact ing use of ap be located	spill clean-up ve equipment. STEL 50 ppm N/D vel delines. Use crubber. Use crubber. Use crubber. Use delines. Use crubber. Use crubber	TWA N/D N/D with adequal NIOSH approve ate scrubber protection m eld, boots o	ceiling 5 ppm N/D te ed ay be r full

Other Protection	/ Personal Protection		
Jse body protection appr	opriate for task.	An apron or other imper	neable body
protection is suggested.	Full body chemic	cal protection is recommen	nded for
emergency response proce	dures.		
Section 9 - Physical and Chem			
Boiling Point	230 F	Specific Gravity (H2O = 1)	1.13 - 1.19
/apor Pressure (mm Hg)	50 - 60 mm	Freezing Point	12 F to -63 F
/apor Density (AIR = 1)	130 - 00 man	Density	
-	No Data Available	Odor Threshold	9.48 - 9.61
) F f	< 1		0.25 - 10 ppm
Flash Point	Not Flanmable	Evaporation Rate	No Data Available
Flammability	j	Flammability Limits	
Auto Ignitlon Temperature	Not Flammable	Partition Coefficient	Not Flammable
	Not Flammable		No Data Available
Viscosity (at 15 C)	2.3 mPa.s	Decomposition Temperature	No Data Available
Solubility in Water	1 Section Community and Commun	•	
miscible Appearance and Odor			
Clear/Slightly yellow wi	th a sharp pungent	t ¢dor	
Section 10 - Stability and Read	ctivity		
Stability Unstable C	Conditions to Avoid	is extremely reactive. A	and a sumbane set with
1 1			void confact with
Stable	The state of the s		void contact with
Stable X n	The state of the s	oxidizing agents.	void contact with
Stable X n	metal surfaces and		
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che	netal surfaces and	oxidizing agents. en properly contained and	handled. It is a
Stable X noncompatibility (Materials to Avoid) Hydrochloric Acid is chestrong mineral acid and	metal surfaces and emically stable who reacts with many o	oxidizing agents. en properly contained and metals and metal oxides a	handled. It is a
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m	metal surfaces and emically stable who reacts with many metal chloride. I	oxidizing agents. en properly contained and metals and metal oxides and t reacts with zeolites and	handled. It is a nd hydroxides d other silicious
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros	metal surfaces and emically stable who reacts with many a metal chloride. I silicic Acid; it re	oxidizing agents. en properly contained and metals and metal oxides and reacts with zeolites and eacts with carbonates to	handled. It is a nd hydroxides d other silicious form Carbon
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i	metal surfaces and emically stable who reacts with many a metal chloride. I silicic Acid; it re is oxidized by Oxy	oxidizing agents. en properly contained and metals and metal oxides and t reacts with zeolites and eacts with carbonates to gen or electrolysis to fo	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It is lethal, poisonous gas.	metal surfaces and emically stable who reacts with many smetal chloride. It silicic Acid; it reacts with all	oxidizing agents. en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to form	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt.
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It is lethal, poisonous gas.	metal surfaces and emically stable who reacts with many smetal chloride. It silicic Acid; it reacts with all	oxidizing agents. en properly contained and metals and metal oxides and t reacts with zeolites and eacts with carbonates to gen or electrolysis to fo	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt.
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i lethal, poisonous gas. It is a hydrolyzing ager	metal surfaces and emically stable who reacts with many metal chloride. It is oxidized by Oxyo It reacts with all the for carbohydrate	oxidizing agents. en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to form	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds.
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most	metal surfaces and emically stable who reacts with many metal chloride. It is oxidized by Oxyo It reacts with all tor carbohydrate metals will produ	oxidizing agents. en properly contained and metals and metal oxides and reacts with zeolites and eacts with carbonates to gen or electrolysis to fo kaline compounds to form es, esters and other comp	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent
Stable X monompatibility (Materials to Avoid) Hydrochloric Acid is chestrong mineral acid and to form the equivalent mompounds to form Hydros Dioxide and Water. It is lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result whose the state of	metal surfaces and emically stable who reacts with many of metal chloride. It is oxidized by Oxyo It reacts with all the for carbohydrate metals will produce the Hydrochloric A	oxidizing agents. en properly contained and metals and metal oxides and reacts with zeolites and eacts with carbonates to gen or electrolysis to form es, esters and other compounds to form the state of the state	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride,
Stable X monompatibility (Materials to Avoid) Hydrochloric Acid is chestrong mineral acid and to form the equivalent monompounds to form Hydros Dioxide and Water. It is lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result when the compounds is not to form the equivalent most It is a hydrolyzing ager It's reaction with most It's reactions will result when the compounds is not to form the compounds to form the equivalent most It's reaction with most It's reactions will result when the compounds is not to form the equivalent most It's reaction with most It's reactions will result when the equivalent most It's reaction with most It's reactions will result when the equivalent most It's reaction with most It's reactions will result when the equivalent most It's reaction with most It's reactions will result when the equivalent most It's reaction with most It's reactions will result when the equivalent most It's reaction with most It's reaction with most It's reactions will result when the equivalent most It's reaction with mo	metal surfaces and emically stable who reacts with many of metal chloride. It is oxidized by Oxyo It reacts with all the for carbohydrate metals will produce the Hydrochloric A no hydroxide, calci	en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to form es, esters and other compounds to form the Hydrogen, an explosive cid Reacts with acetic and um phosphide, chlorosulform	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid,
Stable X m Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result wh 2-aminoethanol, ammonium ethylene diamine, ethyle	metal surfaces and emically stable who reacts with many metal chloride. It is oxidized by Oxy. It reacts with all the for carbohydrate metals will produce the Hydroxide, calcium in hydroxide, calcium en imine, oleum (oxidizing agents. en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to fo kaline compounds to form es, esters and other compounds to flydrogen, an explosive cid Reacts with acetic and um phosphide, chlorosulfo fuming sulfuric acid), pe	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid, rchloric acid,
Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result wh 2-aminoethanol, ammonium ethylene diamine, ethyle beta propiolactone, prop	metal surfaces and emically stable who reacts with many metal chloride. It is oxidized by Oxy. It reacts with all the for carbohydrate metals will produmen Hydrochloric Am hydroxide, calcium immentation, oleum (oylene oxide, sodi	oxidizing agents. en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to form es, esters and other compounds to form the cell of the compounds of the compounds to form the cell of the compounds to form the cell of the compounds to form the cell of the cell	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid, rchloric acid,
Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result wh 2-aminoethanol, ammonium ethylene diamine, ethyle beta propiolactone, prop	metal surfaces and emically stable who reacts with many metal chloride. It is oxidized by Oxyo It reacts with all the for carbohydrate metals will produmen Hydrochloric An hydroxide, calcium imine, oleum (coylene oxide, soditate. This listing is semically stable and in the coylene oxide, soditate.	en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to fo kaline compounds to form es, esters and other compounds to form the desire and other compounds to form the desire and property of the	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid, rehloric acid, id, uranium
Incompatibility (Materials to Avoid) Hydrochloric Acid is chestrong mineral acid and to form the equivalent mecompounds to form Hydros Dioxide and Water. It is a hydrolyzing ager It is a hydrolyzing ager It's reaction with most reactions will result whe 2-aminoethanol, ammonium ethylene diamine, ethylene diamine, ethylene diamine, ethylene phosphide and vinyl acet Hazardous Decomposition or By-product extreme heat may cause to the strength of	metal surfaces and emically stable who reacts with many metal chloride. It is silicic Acid; it reacts with all the for carbohydrate metals will produmen Hydrochloric Am hydroxide, calcium imine, oleum (coplene oxide, soditate. This listing the product to decimal emical surface and the product to decimal emical emica	oxidizing agents. en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to form es, esters and other compounds to form the cell of the compounds of the compounds to form the cell of the compounds to form the cell of the compounds to form the cell of the cell	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid, rehloric acid, id, uranium
Incompatibility (Materials to Avoid) Hydrochloric Acid is che strong mineral acid and to form the equivalent m compounds to form Hydros Dioxide and Water. It i lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result wh 2-aminoethanol, ammonium ethylene diamine, ethyle beta propiolactone, prop phosphide and vinyl acet Hazardous Decomposition or By-produc Extreme heat may cause t include chlorine compour	metal surfaces and emically stable who reacts with many metal chloride. It is oxidized by Oxyo It reacts with all the for carbohydrate metals will produmen Hydrochloric Am hydroxide, calcium imperation of the product to decide.	en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to fo kaline compounds to form es, esters and other compounds to form the desire and other compounds to form the desire and property of the	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid, rehloric acid, id, uranium
Incompatibility (Materials to Avoid) Hydrochloric Acid is chestrong mineral acid and to form the equivalent mecompounds to form Hydros Dioxide and Water. It is lethal, poisonous gas. It is a hydrolyzing ager It's reaction with most reactions will result when 2-aminoethanol, ammonium ethylene diamine, ethylene diamin	metal surfaces and emically stable who reacts with many of metal chloride. It is stilled acid; it reacts with all the for carbohydrate metals will produce the hydroxide, calcium hydroxide, calcium hydroxide, calcium hydroxide, sodicate. This listing the product to decinds.	en properly contained and metals and metal oxides and treacts with zeolites and eacts with carbonates to gen or electrolysis to fo kaline compounds to form es, esters and other compounds to form the desire and other compounds to form the desire and property of the	handled. It is a nd hydroxides d other silicious form Carbon rm Chlorine, a a neutral salt. ounds. gas. Violent hydride, nic acid, rchloric acid, id, uranium umes which may

Section 11 - Toxicolog Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	Yes	Yes	Yes
	, both as a gas and	in a solution as Hydrochlo	
		vere and painful burns on C	
		11y. The mucous membranes	
		ly susceptible to the irrit	
		en Chloride. The gas or va	
		gh concentrations do occur,	those exposed
Carcinogenicity:	y leave the contami NTP? No Data Avail	MKC Monographs	OSHA Regulated? No Data Available
Signs and Symptoms of Expo Exposure to Hydro	chloric acid may c	ause severe burns at the co	ntact points
	. I stad by Evenorych	natitis and breathing disord	
Exposure to fumes Toxicology	innaiaiion	Data	
Hydrogen Chloride		LCLo - 1300 ppm/30 min	
		so - 4701 ppm/30 min	
	Oral (rabb	bil) 900 mg/kg	
		Elfects	
	Inhala	tion: 100 ppm/24 hrs (Ch	romosome damage)
	Oral:	100 ppm (Chromosome dama	ge)
	Parent	al: 20 mg (Cyrogenic effe	cts)
Section 12 - Ecologica	al Information		
Ecological Toxicily Animals exposed t	o hydrochloric acid	solution will experience t	issue damage, burns and
		with hydrochloric acid solu	
		igh concentrations have beer	
Zult Castastast = farmotion		ody of water will kill fish	
Hydrochloric acid	l is stable and four	nd naturally in the environm	ment. All work practices
should be aimed a	t eliminating envir	ronmental contamination.	
Chemical Fate Information Hydrochloric acid	l is naturally occus	rring in the environment.	
Other Decidation, Information	1	available on this product.	
Section 13 - Disposal			
		ed or disposed of, is a haza	
		. It is listed as Hazardou	
		transportation, treatment a	
		iance with 40 CFR 262, 263,	
		permitted facilities. Refe	
statutes for any	additional require	ments, as they may differ f	rom Federal laws.

Section 13 - Disposal Consi	derations (continued)		
		u of the user of products	o determine.
Under Federal RCRA, it		y of the user of products t	
		t falls under RCRA as a har	
This is because produc	t uses, transformatio	ns, mixtures, etc. may reno	der the
resulting end-product		ANALYSIS IN THE PROPERTY OF TH	and the second s
Container Olsposal Containers should be c	leaned of residual pr	oduct before disposal. Em	pty containers
should be disposed of	in accordance with al	l applicable laws and regu	lations.
Section 14 - Transport Infor			
Regulated Material Hydrochloric Acid is d	lefined as hazardous b	by the US DOT and Transport	Canada
North American Emergency Respons	se Guide Book		
		PPING INFORMATION	
Proper Shipping Name	Hydrochloric Acid	Hazard Classification	Corrosive
UN/NA Identification		Hazard Class	Class 8
DOT Labels Required	UN 1789	Packaging Group	· · · · · · · · · · · · · · · · · · ·
And the second s	Corrosive	ANTEREST ANTERESTAN	II
Proper Shipping Name	INTERNATIONAL	SHIPPING INFORMATION Hazard Classification	
t taket annkhuid tenna	Hydrochloric Acid		Corrosive
UN/NA Identification	UN 1789	Hazard Class	Class 8
Labels Required	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Packaging Group	II
A	Corrosive		
Section 15 - Regulatory Info U.S. Federal Regulations			71.
Comprehensive Environ		iability Act of 1980 (CERCI	
Chemical Nar	ne: Hydrochloric Acid	d CAS # 7647-01-0 R	Q - 5000 lbs
Toxic Substances Cont			and the second s
All componer	nts of this product a	re included on the TSCA inv	entory
OSHA Hazard Communica	tion Standard Classif	ication:	And the second s
Corrosive a	s defined by the OSHA	Hazard Communication Stand	lard.
Clean Water Act (CWA)	:	g. 10 g.	
		d CAS # 7647-01-0 I	isted as Hazardous
		Priority pollutants or Tox	
Clean Air Act (CAA):			- 10.0 F- 10.0
	c acid. CAS 7647-01-0	, is listed as a hazardous	air pollutant (HAP)
24/10		nagement Plan (RMP) Regula	
J. W			and the state of t
		nder 37% is not regulated	ation:
		Act (SARA) Title III Inform	
		Acid CAS # 7647-01-0 TPQ	ONCO ID BLOWN VA
SARA Sectio	n 313: Hydrochloric	Acid CAS # 7647-01-0	and the second s

Mational Sanitation Foundation Limits (ANSI/NSF	Standard 60):
Maximum Drinking Water Use Concentrati	on - 40 mg/l
Scale and Corrosion Control at Maximum	n 40 mg/l
tate Regulations California Safe Drinking Water Act (Prop 65) Li:	sting:
No ingredients listed in this section	
California Right to Know Act:	
Chemical Name: Hydrochloric Acid	
New Jersey Right to Know Act:	
Chemical Name: Hydrochloric Acid	CAS # 7647-01-0
Chemical Name: Water	CAS # 7732-18-5
Massachusetts Right to Know Act Substance List	(MSL)::
Chemical Name: Hydrochloric Acid	CAS # 7647-01-0
Pennsylvania Right to Know Act Hazardous Substa	nce List:
Chemical Name: Water	CAS # 7732-18-5
Chemical Name: Hydrochloric Acid	CAS # 7647-01-0
nternational Regulations Canadian Domestic Substance List (DSL) Inventor	y Listing:
Chemical Name: Hydrochloric Acid	CAS # 7647-01-0
Canadian Ingredient Disclosure List	
Chemical Name: Hydrochloric Acid	CAS # 7647-01-0
Canadian Workplace Hazardous Materials Informat	ion System (WHMIS):
Class E: Corrosive material	
	rding to the hazard criteria of the CPR
and the MSDS contains all of the i	nformation required by the CPR
European Inventory of Existing Chemicals (EINEC	S):
Chemical Name: Hydrochloric Acid	EINECS # 2315957
EU Labeling in Accordance with EC Directives:	
Hazard Symbols: C	
R23/24/25: Toxic by inhalation, in co	ntact with skin and if swallowed
R37/38: Irritating to respiratory sys	tem and skin
R41: Risk of serious damage to eyes	
\$36/37: Wear suitable protective clot	
S45: In case of accident or if you fe	el unwell, seek medical advice immediately
S53: Avoid exposure - obtain special	instructions before use
S61: Avoid release to the environment	Refer to safety data sheet

Sapanese Minister of International Trade and	Industry (MITI) Inventory Listing:
Chemical Name: Hydrochloric Acid	SECTION STRUCTURE # 1-324
Australian Inventory of Chemical Substances ((AICS) Listing:
Chemical Name: Hydrochloric Acid	CAS # 7647-01-0
JS Census Bureau - Foreign Trade Identificati	ion
Chemical Name: Hydrochloric Acid	HTS & Schedule B # 2806.10.0000
Section 16 - Other Information	
Created By	MSDS Revision Date
Product Safety - 6/1/98 MSDS Revision Number	June 1, 2015 Revision Indicator
Revision # 010	Hazard Statement Alignment
MSDS Contact Robert Dritschel 908-284-2800	
Does Product Contain, or is Manufactured with, CFC's?	
No Internation Internation	
Health - 3 Flammability - 0 Instability	y=0 Other Hazard Information - ACID
lazardous Material Identification System (HMIS): Health - 3 Flammability - 0 Physical Ha	azard - 0 Protective Equipment - X
orth American Emergency Response Guide Book	
D # 1789 Guide #157 2008 & 2012 Revi	
	immunalu and indopendent of any cale
	itously and independent of any sale
of any product. It is supplied only for your	r investigation and possible independent
of any product. It is supplied only for your	r investigation and possible independent
The data contained herein is furnished gradu- of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as	r investigation and possible independent be correct, Reagent Chemical
of any product. It is supplied only for your	r investigation and possible independent be correct, Reagent Chemical to the accuracy of any data
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent	r investigation and possible independent be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who	r investigation and possible independent be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein.
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand the contained are available for other Reagent of the contain	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc.
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand the contained are available for other Reagent of the contain	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process,
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliandate Sheets are available for other Reagent products. You are urged to obtain data sheet	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand Data Sheets are available for other Reagent products. You are urged to obtain data sheet use or distribute and you are encouraged to a	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or contained in the applicable data
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand that Sheets are available for other Reagent products. You are urged to obtain data sheet use or distribute and you are encouraged to exposed to such products of the information of	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or contained in the applicable data ed without any representation or
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand that Sheets are available for other Reagent products. You are urged to obtain data sheet use or distribute and you are encouraged to exposed to such products of the information of sheets. The data in this document is provide	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or contained in the applicable data ed without any representation or accuracy or correctness. No warranty
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand that Sheets are available for other Reagent products. You are urged to obtain data sheet use or distribute and you are encouraged to exposed to such products of the information exposed. The data in this document is provide warranty, express or implied, regarding its exposed.	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or contained in the applicable data ed without any representation or accuracy or correctness. No warranty ity or fitness or of any nature is made
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand that the products. You are urged to obtain data sheet use or distribute and you are encouraged to exposed to such products of the information exposed to such products of the information of sheets. The data in this document is provide warranty, express or implied, regarding its eather expressed or implied of merchant ability.	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or contained in the applicable data ed without any representation or accuracy or correctness. No warranty ity or fitness or of any nature is made in. Reagent Chemical and Research
of any product. It is supplied only for your verification. While the data is believed to and Research Inc. makes no representation as contained herein. In no event shall Reagent responsible for any damages of any nature who resulting from the publication, use or reliand the products. You are urged to obtain data sheet use or distribute and you are encouraged to exposed to such products of the information of sheets. The data in this document is provide warranty, express or implied, regarding its either expressed or implied of merchant ability with respect to any product referred to here	be correct, Reagent Chemical to the accuracy of any data Chemical and Research, Inc. be atsoever directly or indirectly nce upon any data contained herein. Chemical and Research, Inc. ts for all products you buy, process, advise anyone working with or contained in the applicable data ed without any representation or accuracy or correctness. No warranty ity or fitness or of any nature is made in. Reagent Chemical and Research essly disclaims liability for loss,