Section 1: Product & Company Identification

Product Name: Disc Brake Quiet

Product Number (s): 05015, 05016, 05115, 05116, 75016

Product Use: apply to brakes to decrease noise

Manufacturer / Supplier Contact Information:

<u>In United States</u>: <u>In Canada</u>: <u>In Mexico</u>:

CRC Industries, Inc.

CRC Canada Co.

CRC Industries Mexico

Av. Benito Juárez 4055 G

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

<u>www.crcindustries.com</u> <u>www.crc-canada.ca</u> San Luís Potosí, SLP CP 78394 1-215-674-4300(General) 1-905-670-2291 <u>www.crc-mexico.com</u>

1-215-674-4300 (General) 1-905-670-2291 (800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

52-444-824-1666

As defined by OSHA's Hazard Communication Standard, this product is hazardous.

Appearance & Odor: Red paste, acrylic odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: Direct contact with material may cause mild irritation, redness and stinging.

SKIN: Prolonged or repeated contact may cause mild irritation and redness of the skin.

INHALATION: Inhalation of vapor or mist can cause irritation to the respiratory passages, headache, and

nausea.

INGESTION: Swallowing this material may cause gastrointestinal discomfort.

CHRONIC EFFECTS: None known

TARGET ORGANS: None

Medical Conditions Aggravated by Exposure: None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 05015, 05016, 05115, 05116, 75016

Section 3: Composition/Information on Ingredients

| COMPONENT | CAS NUMBER | % by Wt. |
|------------------|--------------------------------------|----------|
| Acrylic polymers | proprietary blend | 55 – 65 |
| Water | 7732-18-5 | 35 – 45 |
| Ethylene glycol | 107-21-1 | 1 – 3 |
| Pigments | 2814-77-9 / 3468-63-1 / 2786-76-7 | < 1 |

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Do NOT induce vomiting unless instructed by medical personnel. If victim is conscious, give them

a glass of water to drink. Consult a physician for further instructions.

Note to Physicians: Treat symptomatically.

Section 5: Fire-Fighting Measures

Flammable Properties: As defined by OSHA, this product is nonflammable.

Flash Point: None (TCC) Upper Explosive Limit: ND

Autoignition Temperature: ND Lower Explosive Limit: ND

Fire and Explosion Data:

Suitable Extinguishing Media: As appropriate for surrounding fire.

Products of Combustion: Thermal decomposition may yield acrylic monomers.

Explosion Hazards: Containers, when exposed to heat from fire, may build pressure and rupture.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains.

Methods for Containment & Clean-up: Dike area to contain spill. Material can create slippery conditions. Ventilate the

area with fresh air. If in confined space or limited air circulation area, clean-up

Product Number (s): 05015, 05016, 05115, 05116, 75016

workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

Section 7: Handling and Storage

Handling Procedures: Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Avoid breathing

vapors. For product use instructions, please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Containers should be tightly closed while in

storage. Keep product from freezing. Product stability may be affected.

Aerosol Storage Level: NA

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

| | OSHA | | ACGIH | | OTHER | | |
|---|------|------|-------|---------|-------|--------|-------------------|
| COMPONENT | TWA | STEL | TWA | STEL | TWA | SOURCE | UNIT |
| | | | | | | | |
| Acrylic polymers | NE | NE | NE | NE | NE | | |
| Water | NE | NE | NE | NE | NE | | |
| Ethylene glycol | NE | NE | NE | 100 (c) | NE | | mg/m ³ |
| Pigments | NE | NE | NE | NE | NE | | |
| N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated | | | | | | | |

Controls and Protection:

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as neoprene or nitrile. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

Section 9: Physical and Chemical Properties

Physical State: paste

Color: red Odor: acrylic

Odor Threshold: ND Specific Gravity: 1.042

Product Number (s): 05015, 05016, 05115, 05116, 75016

Initial Boiling Point: > 200°F
Freezing Point: ND
Vapor Pressure: ND

Vapor Density: ND (air = 1)

Evaporation Rate: slow

Solubility: dispersible in water

Coefficient of water/oil distribution: ND

pH: NA

Volatile Organic Compounds: wt %: 0.7 g/L: 7.29 lbs./gal: 0.06

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Freezing temperatures

Incompatible Materials: None known

Hazardous Decomposition Products: Thermal decomposition may yield acrylic monomers.

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

| <u>Component</u> | Oral LD50 (rat) | Dermal LD50 (rabbit) | Inhalation LC50 (rat) |
|------------------|-----------------|----------------------|-----------------------|
| Acrylic polymers | > 5000 mg/kg | > 5000 mg/kg | No data |
| Water | > 90 mL/kg | No data | No data |
| Ethylene glycol | 4700 mg/kg | 9530 μL/kg | No data |
| Pigments | No data | No data | No data |

Chronic Toxicity:

| | OSHA | IARC | NTP | | |
|------------------|------------|------------|-------------------|-----------------|------------|
| Component | Carcinogen | Carcinogen | <u>Carcinogen</u> | <u>Irritant</u> | Sensitizer |
| | No | No | No | E (mild) / | Unknown |
| Acrylic polymers | | | | S (mild) / | |
| | | | | R (mild) | |
| Water | No | No | No | No | No |
| Ethylene glycol | No | No | No | E (mild) / | Unknown |
| Ethylene glycol | | | | S (mild) | |
| Pigments | No | No | No | Unknown | Unknown |

| E – Eye | S – Skin | R - Respiratory |
|---------|----------|-----------------|

Reproductive Toxicity: No information available No information available

Product Number (s): 05015, 05016, 05115, 05116, 75016

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available

Persistence / Degradability:
Bioaccumulation / Accumulation:
Mobility in Environment:

No information available
No information available

Section 13: Disposal Considerations

Waste Classification: This product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 – 261.33)

Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): Not Regulated

ICAO/IATA (air): Not Regulated

IMO/IMDG (water): Not Regulated

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: ethylene glycol (5000 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): ethylene glycol (5000 lbs)

Section 311/312 Hazard Categories: Fire Hazard No

Reactive Hazard No Release of Pressure No Acute Health Hazard No Chronic Health Hazard No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

Product Number (s): 05015, 05016, 05115, 05116, 75016

1986 and 40 CFR Part 372: ethylene glycol (2%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): ethylene glycol

U.S. State Regulations:

California Safe Drinking Water and Toxic Enforcement Act (Prop 65):

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other

reproductive harm:

D&C Orange #17 (3468-63-1); trace amounts of acrylonitrile, formaldehyde and

ethyl acrylate may also be present

Consumer Products VOC Regulations: This product is not regulated.

State Right to Know:

New Jersey: 107-21-1

Pennsylvania: 107-21-1, 102-71-6

Massachusetts: 107-21-1

Rhode Island: 107-21-1, 102-71-6

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: Not Regulated

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

listed in Article 4(1) of the RoHS Directive.

Additional Regulatory Information: None

Section 16: Other Information

| HMIS® (II) | | |
|---------------|---|--|
| Health: | 1 | |
| Flammability: | 0 | |
| Reactivity: | 0 | |
| PPE: | В | |

Ratings range from 0 (no hazard) to 4 (severe hazard)

NFPA 0 0

Prepared By: Michelle Rudnick

CRC #: 562A Revision Date: 08/20/2009

Product Number (s): 05015, 05016, 05115, 05116, 75016

Changes since last revision: MSDS reformatted to meet the requirements of the Canadian Controlled Products

Regulations.

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service
CFR: Code of Federal Regulations
DOT: Department of Transportation
DSL: Domestic Substance List

g/L: grams per Liter

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA: International Air Transport Association
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 IMO: International Maritime Organization

lbs./gal: pounds per gallon LC: Lethal Concentration

LD: Lethal Dose

NA: Not Applicable ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PMCC: Pensky-Martens Closed Cup PPE: Personal Protection Equipment

ppm: Parts per Million

RoHS: Restriction of Hazardous Substances

STEL: Short Term Exposure Limit

TCC: Tag Closed Cup
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Information

System